

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to

Promet Safe, Ltd.
60 Rozova Dolina St., 6100 Kazanlak / BG

the right to carry the ECB•S certification mark for

Safes of resistance grade IV according to EN 1143-1:2019 and ECB•S C10
(Series Banker-M – Types PROJEKT 55 FIRE, PROJEKT 65 FIRE, PROJEKT 85 FIRE, PROJEKT 100 FIRE, PROJEKT 120 FIRE,
PROJEKT 130 FIRE, PROJEKT 150 FIRE, 55, 67, 85, 1055, 1255, 1285, 1368 and 1568)
(see Annex)

Certificate Number

0906/SA14-01G

4 October 2022

valid from

3 October 2026

valid until

4 October 2022

Frankfurt am Main

Dr. Markus Heering

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
General Documents			
User manual	Safe of series "Banker M"	08.09.2014	1
Installation Guidelines for Freestanding Safes	QPF22 Issue 2 Installation Guidelines	06.04.2018	3
Concrete composition	F2	12.11.2015	1
Lock list Safe Grade IV	---	17.03.2021	2
Artikel-Nr.	T05943-T05955	---	1
Bimetal plate	06569.01.01.01.001, rev. 1	25.07.2022	1
Data sheet Duroxite 100	---	12.09.2016	3
Rib inner case	06590.01.01.03, rev. 2	25.07.2022	1
Rib external case	06590.01.04.002, rev. 2	25.07.2022	1
Bolt	06550.02.03.002, rev. 2	25.07.2022	1
Latch mechanism of grade IV	05289.02.02	30.10.2015	1
Door performance of CCB 30	Annex A of 350630	11.04.2018	17
Banker-M 55 / RESORT 55 FIRE			
Safe Banker-M 55 LFS	06590, rev. 1	25.07.2022	1
Body LFS	06590.01, rev. 1	25.07.2022	1
Inner case	06590.01.01, rev. 1	25.07.2022	1
Cap of the upper	06590.01.02, rev. 2	25.07.2022	1
Cap of the lower	06590.01.03, rev. 2	25.07.2022	1
Back wall	06590.01.04, rev. 2	25.07.2022	1
Door	06590.02, rev. 2	25.07.2022	1
Lower vertical traction	06590.02.03, rev. 2	25.07.2022	1
Upper vertical traction	06590.02.04, rev. 2	25.07.2022	1
Horizontal traction	06590.02.05, rev. 2	25.07.2022	1

continued on page 2

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Banker-M 67 / RESORT 65 FIRE			
Safe Banker-M 67 IV grade LFS	06591, rev. 1	25.07.2022	1
Body	06591.01, rev. 1	25.07.2022	1
Inner case	06591.01.01, rev. 1	25.07.2022	1
Cap of the upper	06591.01.02, rev. 2	25.07.2022	1
Cap of the lower	06591.01.03, rev. 2	25.07.2022	1
Back wall	06591.01.04, rev. 2	25.07.2022	1
Door	06591.02, rev. 2	25.07.2022	1
Lower vertical traction	06591.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06591.02.04, rev. 2	26.07.2022	1
Horizontal traction	06591.02.05, rev. 2	26.07.2022	1
Banker-M 85 / RESORT 85 FIRE			
Safe Banker-M 85 LFS	06592, rev. 1	26.07.2022	1
Body	06592.01, rev. 1	26.07.2022	1
Inner case	06592.01.01	27.07.2022	1
Cap of the upper	06592.01.02, rev. 2	26.07.2022	1
Cap of the lower	06592.01.03, rev. 2	26.07.2022	1
Back wall	06592.01.03, rev. 2	26.07.2022	1
Door	06592.02, rev. 2	26.07.2022	1
Lower vertical traction	06592.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06592.02.04, rev. 2	26.07.2022	1
Horizontal traction	06592.02.05, rev. 2	26.07.2022	1
Banker-M 1055/RESORT 100 FIRE			
Safe Banker-M 1055 LFS	06593, rev. 1	26.07.2022	1
Body case	06593.01, rev. 1	26.07.2022	1
Inner case	06593.01.01, rev. 1	26.07.2022	1
Cap of the upper	06593.01.02, rev. 2	26.07.2022	1
Cap of the lower	06593.01.03, rev. 2	26.07.2022	1
Back wall	06593.01.04, rev. 2	26.07.2022	1

continued on page 3

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Door	06593.02, rev. 2	26.07.2022	1
Lower vertical traction	06593.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06593.02.04, rev. 2	26.07.2022	1
Horizontal traction	06593.02.05, rev. 2	26.07.2022	1
Banker-M 1255/RESORT 120 FIRE			
Safe Banker-M 1255 LFS	06594, rev. 1	26.07.2022	1
Body	06594.01, rev. 1	26.07.2022	1
Inner case	06594.01.01, rev. 1	26.07.2022	1
Cap of the upper	06594.01.02, rev. 2	26.07.2022	1
Cap of the lower	06594.01.03, rev. 2	26.07.2022	1
Back wall	06594.01.04, rev. 2	26.07.2022	1
Door	06594.02, rev. 2	26.07.2022	1
Lower vertical traction	06594.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06594.02.04, rev. 2	26.07.2022	1
Horizontal traction	06594.02.05, rev. 2	26.07.2022	1
Banker-M 1285			
Safe Banker-M 1285 LFS	06595, rev. 1	27.07.2022	1
Body	06595.01, rev. 1	27.07.2022	1
Inner case	06595.01.01, rev. 1	27.07.2022	1
Cover half shell	06595.01.02, rev. 2	27.07.2022	1
Bottom half shell	06595.01.03, rev. 2	27.07.2022	1
Bottom half shell	06595.01.04, rev. 2	27.07.2022	1
Upper wall	06595.01.05, rev. 1	27.07.2022	1
Rear wall of the outer	06595.01.06, rev. 2	27.07.2022	1
Door	06595.02, rev. 1	05.09.2016	1
Upper vertical traction	06595.02.03, rev. 2	27.07.2022	1
Lower vertical traction	06595.02.04, rev. 2	27.07.2022	1
Horizontal traction	06595.02.05, rev. 2	27.07.2022	1

continued on page 4

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Banker-M 1368/RESORT 130 FIRE			
Safe Banker-M 1368 LFS	06596, rev. 1	27.07.2022	1
Body	06596.01, rev. 1	27.07.2022	1
Inner case	06596.01.01, rev. 1	27.07.2022	1
Bottom half shell	06596.01.02, rev. 2	27.07.2022	1
Cover half shell	06596.01.03, rev. 2	27.07.2022	1
Upper wall	06596.01.05, rev. 2	27.02.2022	1
Rear wall of the outer	06596.01.06, rev. 2	27.07.2022	1
Door	06596.02, rev. 2	27.07.2022	1
Lower vertical traction	06596.02.03, rev. 2	27.07.2022	1
Upper vertical traction	06596.02.04, rev. 2	27.07.2022	1
Horizontal traction	06596.02.05, rev. 2	27.07.2022	1
Banker-M 1568/RESORT 150 FIRE			
Safe Banker-M 1568	06597, rev. 1	28.07.2022	1
Body	06597.01, rev. 1	28.07.2022	1
Inner case	06597.01.01, rev. 1	28.07.2022	1
Upper wall	06597.01.05, rev. 2	28.07.2022	1
Rear wall of the outer	06597.01.06, rev. 2	28.07.2022	1
Door	06597.02, rev. 2	28.07.2022	1
Upper vertical traction	06597.02.03, rev. 2	28.07.2022	1
Lower vertical traction	06597.02.04, rev. 1	28.07.2022	1
Horizontal traction	06597.02.05, rev. 1	28.07.2022	1

NOTE Certified *Banker-M* -types shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation and in the lock guide ECB•S R01. A maximum of one swing bolt lock may be mounted in the boltwork.

The types of the series *Banker-M* have a weight of $\leq 1,000$ kg. In accordance with the technical documentation they therefore have to be equipped with an anchoring assembly including material.

The marking as ECB•S certified product, in compliance with this certificate, is only allowed with an original ECB•S certification mark as proof of conformity according to ISO/IEC 17065.

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to

Promet Safe, Ltd.
60 Rozova Dolina St., 6100 Kazanlak / BG

the right to carry the **ECB•S** certification mark for

Light fire storage units of protection level LFS 30 according to EN 15659:2019 and ECB•S C10
(Series Banker M LFS30 – Types PROJEKT 55 FIRE, PROJEKT 65 FIRE, PROJEKT 85 FIRE, PROJEKT 100 FIRE,
PROJEKT 120 FIRE, PROJEKT 130 FIRE, PROJEKT 150 FIRE, 55, 67, 85, 1055, 1255, 1285, 1368 and 1568)
(see Annex)

Certificate Number

0906/LFS18-03A

12 November 2022

valid from

8 November 2022

Frankfurt am Main

11 November 2026

valid until


Dr. Markus Fleerjng

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M LFS30)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
General Documents			
Concrete composition	F2	12.11.2015	1
Lock list Safe Grade IV	---	17.03.2021	2
Artikel-Nr.	T05943-T05955	---	1
Bimetal plate	06569.01.01.01.001, rev. 1	25.07.2022	1
Data sheet Duroxite 100	---	12.09.2016	3
Rib inner case	06590.01.01.03, rev. 2	25.07.2022	1
Rib external case	06590.01.04.002, rev. 2	25.07.2022	1
Bolt	06550.02.03.002, rev. 2	25.07.2022	1
Latch mechanism of grade IV	05289.02.02	30.10.2015	1
Door performance of CCB 30	Annex A of 350630	11.04.2018	17
Optional outer corner connection	06558.01.02.01	18.10.2022	1
Banker-M 55 / RESORT 55 FIRE			
Safe Banker-M 55 LFS	06590, rev. 1	25.07.2022	1
Body LFS	06590.01, rev. 1	25.07.2022	1
Inner case	06590.01.01, rev. 1	25.07.2022	1
Cap of the upper	06590.01.02, rev. 2	25.07.2022	1
Cap of the lower	06590.01.03, rev. 2	25.07.2022	1
Back wall	06590.01.04, rev. 2	25.07.2022	1
Door	06590.02, rev. 2	25.07.2022	1
Lower vertical traction	06590.02.03, rev. 2	25.07.2022	1
Upper vertical traction	06590.02.04, rev. 2	25.07.2022	1
Horizontal traction	06590.02.05, rev. 2	25.07.2022	1

continued on page 2

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M LFS30)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Banker-M 67 / RESORT 65 FIRE			
Safe Banker-M 67 IV grade LFS	06591, rev. 1	25.07.2022	1
Body	06591.01, rev. 1	25.07.2022	1
Inner case	06591.01.01, rev. 1	25.07.2022	1
Cap of the upper	06591.01.02, rev. 2	25.07.2022	1
Cap of the lower	06591.01.03, rev. 2	25.07.2022	1
Back wall	06591.01.04, rev. 2	25.07.2022	1
Door	06591.02, rev. 2	25.07.2022	1
Lower vertical traction	06591.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06591.02.04, rev. 2	26.07.2022	1
Horizontal traction	06591.02.05, rev. 2	26.07.2022	1
Banker-M 85 / RESORT 85 FIRE			
Safe Banker-M 85 LFS	06592, rev. 1	26.07.2022	1
Body	06592.01, rev. 1	26.07.2022	1
Inner case	06592.01.01	27.07.2022	1
Cap of the upper	06592.01.02, rev. 2	26.07.2022	1
Cap of the lower	06592.01.03, rev. 2	26.07.2022	1
Back wall	06592.01.03, rev. 2	26.07.2022	1
Door	06592.02, rev. 2	26.07.2022	1
Lower vertical traction	06592.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06592.02.04, rev. 2	26.07.2022	1
Horizontal traction	06592.02.05, rev. 2	26.07.2022	1
Banker-M 1055/RESORT 100 FIRE			
Safe Banker-M 1055 LFS	06593, rev. 1	26.07.2022	1
Body case	06593.01, rev. 1	26.07.2022	1
Inner case	06593.01.01, rev. 1	26.07.2022	1
Cap of the upper	06593.01.02, rev. 2	26.07.2022	1
Cap of the lower	06593.01.03, rev. 2	26.07.2022	1
Back wall	06593.01.04, rev. 2	26.07.2022	1

continued on page 3

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M LFS30)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Door	06593.02, rev. 2	26.07.2022	1
Lower vertical traction	06593.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06593.02.04, rev. 2	26.07.2022	1
Horizontal traction	06593.02.05, rev. 2	26.07.2022	1
Banker-M 1255/RESORT 120 FIRE			
Safe Banker-M 1255 LFS	06594, rev. 1	26.07.2022	1
Body	06594.01, rev. 1	26.07.2022	1
Inner case	06594.01.01, rev. 1	26.07.2022	1
Cap of the upper	06594.01.02, rev. 2	26.07.2022	1
Cap of the lower	06594.01.03, rev. 2	26.07.2022	1
Back wall	06594.01.04, rev. 2	26.07.2022	1
Door	06594.02, rev. 2	26.07.2022	1
Lower vertical traction	06594.02.03, rev. 2	26.07.2022	1
Upper vertical traction	06594.02.04, rev. 2	26.07.2022	1
Horizontal traction	06594.02.05, rev. 2	26.07.2022	1
Banker-M 1285			
Safe Banker-M 1285 LFS	06595, rev. 1	27.07.2022	1
Body	06595.01, rev. 1	27.07.2022	1
Inner case	06595.01.01, rev. 1	27.07.2022	1
Cover half shell	06595.01.02, rev. 2	27.07.2022	1
Bottom half shell	06595.01.03, rev. 2	27.07.2022	1
Upper wall	06595.01.05, rev. 1	27.07.2022	1
Rear wall of the outer	06595.01.06, rev. 2	27.07.2022	1
Door	06595.02, rev. 1	05.09.2016	1
Upper vertical traction	06595.02.03, rev. 2	27.07.2022	1
Lower vertical traction	06595.02.04, rev. 2	27.07.2022	1
Horizontal traction	06595.02.05, rev. 2	27.07.2022	1

continued on page 4

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Banker-M LFS30)

TECHNICAL DOCUMENTATION	FILE NAME OF DOCUMENT	DATE	NUMBER OF PAGES
Banker-M 1368/RESORT 130 FIRE			
Safe Banker-M 1368 LFS	06596, rev. 1	27.07.2022	1
Body	06596.01, rev. 1	27.07.2022	1
Inner case	06596.01.01, rev. 1	27.07.2022	1
Bottom half shell	06596.01.02, rev. 2	27.07.2022	1
Cover half shell	06596.01.03, rev. 2	27.07.2022	1
Upper wall	06596.01.05, rev. 2	27.02.2022	1
Rear wall of the outer	06596.01.06, rev. 2	27.07.2022	1
Door	06596.02, rev. 2	27.07.2022	1
Lower vertical traction	06596.02.03, rev. 2	27.07.2022	1
Upper vertical traction	06596.02.04, rev. 2	27.07.2022	1
Horizontal traction	06596.02.05, rev. 2	27.07.2022	1
Banker-M 1568/RESORT 150 FIRE			
Safe Banker-M 1568	06597, rev. 1	28.07.2022	1
Body	06597.01, rev. 1	28.07.2022	1
Inner case	06597.01.01, rev. 1	28.07.2022	1
Upper wall	06597.01.05, rev. 2	28.07.2022	1
Rear wall of the outer	06597.01.06, rev. 2	28.07.2022	1
Door	06597.02, rev. 2	28.07.2022	1
Upper vertical traction	06597.02.03, rev. 2	28.07.2022	1
Lower vertical traction	06597.02.04, rev. 1	28.07.2022	1
Horizontal traction	06597.02.05, rev. 1	28.07.2022	1

NOTE Only the models corresponding to the listed sizes and which are according to the approved technical documentation of this certificate may be marked with the ECB•S fire certification mark.

To protect from fires from below it is recommended to anchor the storage units firmly on the floor.

The marking as ECB•S certified product, in compliance with this certificate, is only allowed with an original ECB•S certification mark as proof of conformity according to ISO/IEC 17065.